



11.4 Law of Sines

What do we do to find missing sides/angles in a non-right Δ ?



To "solve" a triangle, find all sides and all angles

Idea:
"split" into
2 right Δ s




$$A = \frac{1}{2}bh$$

Drop a perpendicular from one angle to the opposite side

$$\sin 31.1 = \frac{h}{9.4}$$

$$9.4 \sin 31.1 = h$$

Deriving the Law of Sines



$$\sin B = \frac{h}{c} \quad \sin C = \frac{h}{b}$$
$$h = c \sin B \quad h = b \sin C$$


$$\frac{c \sin B}{b} = \frac{b \sin C}{b}$$

$$\frac{c \sin B}{b} = \frac{\sin C}{c}$$

Law of Sines

$$\frac{\sin A}{a} = \frac{\sin B}{b} = \frac{\sin C}{c}$$

Ex] Find the measure of $c =$ _____



~~Sin 77~~

$$\frac{\sin 77^\circ}{40.5} = \frac{\sin 39^\circ}{c}$$

$$c \sin 77^\circ = \sin(39^\circ) \cdot 40.5$$

$$c = \frac{40.5 \sin(39^\circ)}{\sin 77^\circ}$$

$$c \approx 26.2$$

When do I use the Law of Sines?


ASA



AAS



SSA



3 possibilities

- ① one triangle
- ② no triangle
- ③ two triangles

P. 383
#1 a, b
#4

116
HW 17